



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/864,107		05/24/2001	Filips Van Liere	NL 000278	NL 000278 1459		
24737	7590	06/23/2006		EXAM	EXAMINER		
		CTUAL PROPER	WANG, JI	WANG, JIN CHENG			
P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510				ART UNIT	PAPER NUMBER		
		,		2628			

DATE MAILED: 06/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Advisory Action Before the Filing of an Appeal Brief

Application No.	Applicant(s)		
09/864,107	VAN LIERE, FILIPS		
Examiner	Art Unit		
Jin-Cheng Wang	2628		

	Jin-Cheng Wang	2628	
The MAILING DATE of this communication appe	ars on the cover sheet with the c	orrespondence add	ress
THE REPLY FILED 12 May 2006 FAILS TO PLACE THIS APP	LICATION IN CONDITION FOR AL	LOWANCE.	
1.  The reply was filed after a final rejection, but prior to or on this application, applicant must timely file one of the follow places the application in condition for allowance; (2) a No a Request for Continued Examination (RCE) in compliance time periods:	ving replies: (1) an amendment, aff tice of Appeal (with appeal fee) in c	idavit, or other evider compliance with 37 C	nce, which FR 41.31: or (3)
a) The period for reply expires 3 months from the mailing date			
b) The period for reply expires on: (1) the mailing date of this A no event, however, will the statutory period for reply expire a Examiner Note: If box 1 is checked, check either box (a) or two Months of the Final Rejection. See MPEP 7.	ater than SIX MONTHS from the mailing b). ONLY CHECK BOX (b) WHEN THE 06.07(f).	g date of the final rejecti E FIRST REPLY WAS F	on. ILED WITHIN
Extensions of time may be obtained under 37 CFR 1.136(a). The date have been filed is the date for purposes of determining the period of ex under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the set forth in (b) above, if checked. Any reply received by the Office later may reduce any earned patent term adjustment. See 37 CFR 1.704(b) NOTICE OF APPEAL	tension and the corresponding amount shortened statutory period for reply orig than three months after the mailing da	of the fee. The approprinally set in the final Offi	iate extension fee
<ol> <li>The Notice of Appeal was filed on A brief in comp filing the Notice of Appeal (37 CFR 41.37(a)), or any exte a Notice of Appeal has been filed, any reply must be filed AMENDMENTS</li> </ol>	nsion thereof (37 CFR 41.37(e)), to	avoid dismissal of th	ns of the date of e appeal. Since
3. The proposed amendment(s) filed after a final rejection,	out prior to the date of filing a brief,	will not be entered b	ecause
(a) They raise new issues that would require further co	nsideration and/or search (see NO	TE below);	
<ul> <li>(b) ☐ They raise the issue of new matter (see NOTE belo</li> <li>(c) ☐ They are not deemed to place the application in bet appeal; and/or</li> </ul>		ducing or simplifying	the issues for
(d) ☐ They present additional claims without canceling a	corresponding number of finally rej	ected claims.	
NOTE: (See 37 CFR 1.116 and 41.33(a)).			
<ul> <li>4. ☐ The amendments are not in compliance with 37 CFR 1.1.</li> <li>5. ☐ Applicant's reply has overcome the following rejection(s)</li> </ul>	:		
<ol> <li>Newly proposed or amended claim(s) would be al non-allowable claim(s).</li> </ol>	lowable if submitted in a separate,	timely filed amendme	ent canceling the
7. For purposes of appeal, the proposed amendment(s): a) how the new or amended claims would be rejected is provided that the status of the claim(s) is (or will be) as follows:	☐ will not be entered, or b) ⊠ wil vided below or appended.	l be entered and an e	explanation of
Claim(s) allowed:			
Claim(s) objected to: Claim(s) rejected: <u>1-3,5-12,14-19,25-33</u> .			
Claim(s) withdrawn from consideration:			
AFFIDAVIT OR OTHER EVIDENCE			
<ol> <li>The affidavit or other evidence filed after a final action, bu because applicant failed to provide a showing of good and was not earlier presented. See 37 CFR 1.116(e).</li> </ol>	t before or on the date of filing a No d sufficient reasons why the affidav	otice of Appeal will <u>no</u> it or other evidence is	t be entered necessary and
<ol> <li>The affidavit or other evidence filed after the date of filing entered because the affidavit or other evidence failed to on showing a good and sufficient reasons why it is necessary</li> </ol>	vercome <u>all</u> rejections under appear and was not earlier presented. S	al and/or appellant fai ee 37 CFR 41.33(d)(	ils to provide a 1).
10. ☐ The affidavit or other evidence is entered. An explanation REQUEST FOR RECONSIDERATION/OTHER	n of the status of the claims after e	ntry is below or attach	ned.
<ol> <li>The request for reconsideration has been considered bu <u>See below.</u></li> </ol>	t does NOT place the application in	n condition for allowar	nce because:
12. Note the attached Information Disclosure Statement(s). (	PTO/SB/08 or PTO-1449) Paper N	lo(s)	
10. [a] Other	(	XM	3
		Kee M. Tun	ıg/

Primary Examiner

Echerer further discloses enabling the generation of the measurement graphics without activation of ACTION BARS or image fields, OR CONTROL PANELS since Echerer teaches using a mouse only without activating ACTION BARS or image fields, OR CONTROL PANELS. See e.g., column 12, lines 20-30; column 13, lines 25-50; column 15, lines 15-35. Echerer teaches measuring the length of the two points, measuring an area encircled by at least three points and measuring the angle between two lines formed by four points wherein the four points are specified as in column 21 for measuring the angle. Echerer discloses enabling the generation of the measurement graphics without requiring a user to define a type of graphic being generated through the automatic analysis file wherein the measurement graphics is automatically generated (See column 17-18).

Fenster discloses that the user can use the graphical input device such as a single button mouse to measure distances and areas of the three-dimensional image within the most recently moved image plane and the user simply needs to use the graphical input device 38 to indicate the two end points over which the distance is to be measured if the user wishes to measure a distance and the user must identify at least three points if an area is to be measured and the placement of points on the image is done by moving a cursor and the display module 92 connects adjacent points by straight line segments and computes both the overall line length and the area bounded by the lines joining the points using an appropriate scale. In this setting, only a mouse has been placed on the points of the image to measure a distance or an area without activation of menus, toolbars and control panels outside the medical image.

When the pointer symbol is situated on the medical image, a measurement graphics is generated without actuation of one button of the mouse on menus, toolbars and control panels because the pointer symbol is situated on the medical image while the measurement graphics is generated. The pointer symbol is not situated on menus, toolbars and control panels when the pointer symbol is situated on the medical image. Therefore, the actuation of the at least one button of the mouse enables the generation of the plurality of different measurement graphics including measuring the distance of two points on the medical image and the area encircled by three points on the medical image without actuating at least a button of the mouse when the pointer symbol of the mouse is situated on menus, toolbars and control panels, i.e., when the pointer symbol is subsequently moved away from the medical image after the generation of the measurement graphics. Fenster discloses enabling the generation of the plurality of different measurement graphics including the measurement of distance between two points on the medical image and the measurement of area encircled by more than two points on the medical image based only upon actuation of at least one button of said mouse when said pointer symbol is situated on said medical image without clicking on the mouse, even when the pointer symbol is moved outside the medical image and placed on the menus, toolbars, and control panels outside the medical image after the measurement graphics is generated. Fenster discloses enabling the generation of the plurality of different measurement graphics including the measurement of distance between two points on the medical image and the measurement of area encircled by more than two points on the medical image based only upon actuation of at least one button of said mouse when said pointer symbol is situated on said medical image without the actuation of the at least one button of the mouse when said pointer symbol is subsequently moved away from the medical image and placed on menus, toolbars, and control panels. Because the pointer symbol is placed on the medical image in the generation of the measurement graphics, the measurement graphics are generated without the movement of the pointer symbol outside of the medical image while the measurement graphics is generated. In conclusion, Fenster discloses the claim limitation of enabling the generation of the plurality of different measurement graphics based only upon actuation of said at least one button of said mouse when said pointer symbol is situated on said medical image without actuation of said at least one button of said mouse when said pointer symbol is situated on menus, toolbars, and control panels such that the measurement graphics are generated without movement of said pointer symbol outside of said medical image. According to MPEP 2106, Office personnel are to give claims their broadest reasonable interpretation in light of the supporting disclosure. In re Morris, 127 F.3d 1048, 1054-55, 44 USPQ2d 1023, 1027-28 (Fed. Cir. 1997). Limitations appearing in the specification but not recited in the claim are not read into the claim. E-Pass Techs., Inc. v. 3Com Corp., 343 F.3d 1364, 1369, 67 USPQ2d 1947, 1950 (Fed. Cir. 2003) (claims must be interpreted 'in view of the specification' without importing limitations from the specification into the claims unnecessarily). In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-551 (CCPA 1969). See also In re Zletz, 893 F.2d 319, 321-22, 13 USPQ2d 1320, 1322 (Fed. Cir. 1989).

However Echerer is silent to "displaying...said medical image...without the presence of menus, toolbars and control panels on said graphical interface", "enabling the generation of the at least three measurement graphics without requiring a user to define in advance the type of measurement graphic being generated".

Fenster teaches the claim limitation of "displaying...said medical image...without the presence of menus, toolbars and control panels on said graphical interface" (Fenster discloses in column 23, lines 25-40 and Fig. 27 using the graphical input device to measure distances and areas of the three-dimensional image within the most recently moved plane without the presence of menus, toolbars and control panels on said graphical interface. Fenster teaches that the user uses the graphical input device to indicate the two end points over which the distance is to be measured and the user must identify at least three points if an area is to be measured. Fenster also teaches generating the measurement graphics without moving the pointer outside the medical image).

It would have been obvious to one of ordinary skill in the art to have incorporated the Fenster's measurement method into Echerer's method of processing cursored user interaction because Echerer implicitly suggests providing a menu-less graphical interface for display said medical image (e.g., Echerer column 12, lines 20-30; column 13, lines 25-50) and providing a predefined interaction with said medical image, wherein said interaction is selected from a group of predefined interactions based on said status of each of said at least one button during the interval between multiple said position detection steps (e.g., Echerer column 16, lines 15-67; column 17, lines 1-67; column 18, lines 1-64) therefore suggesting an obvious modification of the Echerer's method for processing a radiograph.

One having the ordinary skill in the art would have been motivated to do this because it would have provided an alternative drawing option that does not rely on the menus, control panels and toolbars for GUI control (Fenster column 23 and Fig. 27).

Although Echerer and Fenster are silent to "enabling the generation of the at least three measurement graphics without requiring a user to define in advance the type of measurement graphic being generated", Fenster discloses enabling the generation of at least two different measurement graphics based only upon the actuation of the mouse, Killcommons discloses enabling the generation of at least three different measurement graphics based only upon the actuation of the at least one button of the mouse. Killmore discloses providing the angle of deviation between two selected vectors on the image in which the operator may select a first vector and move the cursor from the original vector to a second vector. Therefore, having the combined teaching of Echerer, Fenster and Killcommons, one of the ordinary skill in the art realize how to generate at least three different measurement graphics based only upon the actuation of the at least one button of the mouse. Moreover, Echerer discloses enabling the generation of at least three different measurement graphics without requiring a user to define a type of graphic being generated through the automatic analysis file wherein the

## **Continuation Sheet (PTO-303)**

Application No.

measurement graphics is automatically generated (See column 17-18). Echerer's generation of the at least three different measurement graphics is enabled without moving the cursor outside the medical image, i.e., through the automatic analysis file. Therefore, Echerer suggests the claim limitation of "enabling the generation of at least three different measurement graphics based only upon actuation of said at least one button of said mouse when said pointer symbol is situated on said medical image such that the measurement graphics are generated without movement of said pointer symbol outside of said medical image." Echerer's generation of the at least three different measurement graphics is performed through the automatic analysis file without requiring a user clicking on the menus, toolbars and control menus to define in advance the type of measurement graphic being generated. Accordingly to applicant's specification, it is understood that only one measurement graphics is produced at a time and the type of measurement graphics should be defined through the mouse operator interface. However, applicant's claim 1 set forth the claim limitation of "enabling the generation of the at least three measurement graphics without requiring a user to define in advance the type of measurement graphic being generated."

One having the ordinary skill in the art would have been motivated to do this because it would have provided an alternative drawing option that does not rely on the menus, control panels and toolbars for GUI control (Fenster column 23 and Fig. 27; Killcommons column 14, lines 17-57).